




World Leader in Rating Technology


Polar Plot for Boat
Name **SALONA 44**
Sail Number **CRO 2009**
Class **Salona 44**
Designer **Jakopin**
Builder **AD Boats**
Issued On **13.11.2009 - VPP 1.11**





World Leader in Rating Technology


Polar Plot for Boat
Name **SALONA 44**
Sail Number **CRO 2009**
Class **Salona 44**
Designer **Jakopin**
Builder **AD Boats**
Issued On **13.11.2009 - VPP 1.11**





World Leader in Rating Technology

Polar Plot for Boat	
Name	SALONA 44
Sail Number	CRO 2009
Class	Salona 44
Designer	Jakopin
Builder	AD Boats
Issued On	13.11.2009 - VPP 1.11




Jib
Symmetric Spinnaker



World Leader in Rating Technology


Polar Plot for Boat	
Name	SALONA 44
Sail Number	CRO 2009
Class	Salona 44
Designer	Jakopin
Builder	AD Boats
Issued On	13.11.2009 - VPP 1.11





World Leader in Rating Technology

Polar Plot for Boat	
Name	SALONA 44
Sail Number	CRO 2009
Class	Salona 44
Designer	Jakopin
Builder	AD Boats
Issued On	13.11.2009 - VPP 1.11




Jib
Symmetric Spinnaker



World Leader in Rating Technology

Polar Plot for Boat	
Name	SALONA 44
Sail Number	CRO 2009
Class	Salona 44
Designer	Jakopin
Builder	AD Boats
Issued On	13.11.2009 - VPP 1.11




Jib
Symmetric Spinnaker



World Leader in Rating Technology


Polar Plot for Boat
Name SALONA 44
Sail Number CRO 2009
Class Salona 44
Designer Jakopin
Builder AD Boats
Issued On 13.11.2009 - VPP 1.11





World Leader in Rating Technology

Polar Plot for Boat
Name SALONA 44
Sail Number CRO 2009
Class Salona 44
Designer Jakopin
Builder AD Boats
Issued On 13.11.2009 - VPP 1.11




Jib
Symmetric Spinnaker



World Leader in Rating Technology

Polar Plot for Boat
Name **SALONA 44**
Sail Number **CRO 2009**
Class **Salona 44**
Designer **Jakopin**
Builder **AD Boats**
Issued On **13.11.2009 - VPP 1.11**





World Leader in Rating Technology

© Offshore Racing Congress 2008

Polar Tables

Boat Name: **SALONA 44**

Sail No: **CRO 2009**

Sail: **Jib**

Issued On: **13.11.2009 - VPP 1.11**

TWS = 6 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
44.6° (b)	5.23	3.72	10.30	23.6°	4.5°	1.00	1.00
52°	5.79	3.56	10.50	26.2°	4.7°	1.00	1.00
60°	6.18	3.09	10.46	29.1°	4.6°	1.00	1.00
70°	6.48	2.21	10.13	33.1°	4.3°	1.00	1.00
75°	6.55	1.69	9.88	35.1°	4.0°	1.00	1.00
80°	6.57	1.14	9.56	37.3°	3.8°	1.00	1.00
90°	6.49	0.00	8.77	42.2°	3.2°	1.00	1.00
110°	5.78	1.98	6.70	55.9°	1.9°	1.00	1.00
120°	5.11	2.55	5.55	67.1°	1.3°	1.00	1.00
135°	4.01	2.83	4.18	92.3°	0.7°	1.00	1.00
150°	3.47	3.00	3.38	119.1°	0.4°	1.00	1.00
165°	3.23	3.12	2.91	148.3°	0.3°	1.00	1.00
180°	3.15	3.15	2.75	180.0°	0.1°	1.00	1.00
178.5° (r)	3.15	3.15	2.76	176.8°	0.1°	1.00	1.00

TWS = 8 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
43.4° (b)	6.22	4.51	13.04	24.0°	10.5°	1.00	1.00
52°	6.94	4.27	13.24	27.3°	11.0°	1.00	1.00
60°	7.31	3.66	13.08	30.8°	10.3°	1.00	1.00
70°	7.55	2.58	12.58	35.5°	8.5°	1.00	1.00
75°	7.61	1.97	12.24	38.0°	7.4°	1.00	1.00
80°	7.63	1.32	11.84	40.6°	6.2°	1.00	1.00
90°	7.56	0.00	10.89	46.0°	4.5°	1.00	1.00
110°	6.89	2.36	8.50	60.4°	2.6°	1.00	1.00
120°	6.21	3.11	7.18	71.5°	1.8°	1.00	1.00
135°	5.17	3.66	5.58	94.0°	1.0°	1.00	1.00
150°	4.56	3.95	4.54	119.8°	0.7°	1.00	1.00
165°	4.26	4.12	3.91	148.6°	0.4°	1.00	1.00
180°	4.16	4.16	3.71	180.0°	0.1°	1.00	1.00
179.2° (r)	4.16	4.16	3.71	178.3°	0.1°	1.00	1.00

TWS = 10 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
42.5° (b)	6.92	5.10	15.44	23.9°	18.4°	1.00	0.98
52°	7.67	4.72	15.48	27.9°	19.4°	1.00	1.00
60°	8.03	4.02	15.22	31.9°	18.0°	1.00	1.00
70°	8.26	2.83	14.62	37.4°	15.0°	1.00	1.00
75°	8.31	2.15	14.23	40.4°	13.2°	1.00	1.00
80°	8.32	1.44	13.79	43.4°	11.2°	1.00	1.00
90°	8.26	0.00	12.77	49.7°	7.3°	1.00	1.00
110°	7.65	2.62	10.17	65.1°	3.2°	1.00	1.00
120°	7.13	3.56	8.79	75.5°	2.3°	1.00	1.00
135°	6.14	4.34	7.00	96.7°	1.4°	1.00	1.00
150°	5.55	4.81	5.74	121.1°	1.0°	1.00	1.00
165°	5.24	5.06	4.96	149.1°	0.7°	1.00	1.00
180°	5.13	5.13	4.71	180.0°	0.2°	1.00	1.00
179.9° (r)	5.13	5.13	4.71	179.7°	0.2°	1.00	1.00

TWS = 12 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
40.6° (b)	7.18	5.45	17.56	23.9°	20.8°	1.00	0.84
52°	8.07	4.97	17.37	28.7°	24.5°	1.00	0.92
60°	8.43	4.22	16.86	32.4°	26.2°	1.00	0.99
70°	8.68	2.97	16.24	38.7°	22.1°	1.00	1.00
75°	8.73	2.26	15.87	42.2°	19.5°	1.00	1.00
80°	8.75	1.52	15.45	45.7°	16.7°	1.00	1.00
90°	8.69	0.00	14.45	53.0°	11.2°	1.00	1.00
110°	8.22	2.81	11.83	69.3°	3.9°	1.00	1.00
120°	7.77	3.89	10.38	79.6°	2.8°	1.00	1.00
135°	7.00	4.95	8.45	99.2°	1.9°	1.00	1.00
150°	6.43	5.57	7.01	122.7°	1.4°	1.00	1.00
165°	6.12	5.91	6.10	150.0°	0.9°	1.00	1.00
180°	6.00	6.00	5.80	180.0°	0.2°	1.00	1.00
179.8° (r)	6.00	6.00	5.81	179.7°	0.2°	1.00	1.00

TWS = 14 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
39.5° (b)	7.37	5.68	19.58	24.1°	22.5°	1.00	0.72
52°	8.31	5.11	19.21	29.9°	26.2°	1.00	0.80
60°	8.62	4.31	18.57	34.0°	27.6°	1.00	0.86
70°	8.90	3.04	17.54	39.6°	28.4°	1.00	0.97
75°	9.01	2.33	17.12	43.0°	26.9°	1.00	1.00
80°	9.08	1.58	16.82	47.1°	23.1°	1.00	1.00
90°	9.04	0.00	16.00	55.6°	15.5°	1.00	1.00
110°	8.62	2.95	13.47	73.1°	4.8°	1.00	1.00
120°	8.29	4.15	11.99	83.3°	3.4°	1.00	1.00
135°	7.66	5.42	9.95	102.0°	2.4°	1.00	1.00
150°	7.22	6.25	8.34	124.4°	1.8°	1.00	1.00
165°	6.93	6.70	7.30	150.8°	1.2°	1.00	1.00
180°	6.81	6.81	6.96	180.0°	0.3°	1.00	1.00
179.9° (r)	6.81	6.81	6.96	179.7°	0.3°	1.00	1.00

TWS = 16 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
38.9° (b)	7.51	5.84	21.53	24.5°	23.8°	1.00	0.62
52°	8.45	5.20	20.99	31.1°	27.3°	1.00	0.69
60°	8.75	4.37	20.24	35.5°	28.4°	1.00	0.75
70°	9.04	3.09	19.10	41.4°	29.3°	1.00	0.85
75°	9.18	2.38	18.47	44.5°	29.6°	1.00	0.91
80°	9.32	1.62	17.82	47.7°	29.9°	1.00	0.99
90°	9.41	0.00	17.35	57.2°	20.7°	1.00	1.00
110°	8.93	3.06	15.10	76.4°	6.6°	1.00	1.00
120°	8.66	4.33	13.61	86.7°	4.2°	1.00	1.00
135°	8.21	5.81	11.49	104.7°	3.0°	1.00	1.00
150°	7.85	6.80	9.76	126.3°	2.2°	1.00	1.00
165°	7.60	7.34	8.62	151.8°	1.5°	1.00	1.00
180°	7.50	7.50	8.24	180.0°	0.4°	1.00	1.00
179.9° (r)	7.50	7.50	8.24	179.8°	0.5°	1.00	1.00

TWS = 20 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
38.6° (b)	7.65	5.98	25.28	25.5°	25.6°	1.00	0.48
52°	8.58	5.28	24.43	33.1°	28.8°	1.00	0.54
60°	8.87	4.44	23.52	38.1°	29.7°	1.00	0.59
70°	9.22	3.15	22.21	44.6°	30.4°	1.00	0.67
75°	9.40	2.43	21.51	48.0°	30.7°	1.00	0.72
80°	9.57	1.66	20.78	51.6°	30.8°	1.00	0.79
90°	9.89	0.00	19.24	59.1°	31.0°	1.00	0.96
110°	9.65	3.30	18.15	80.6°	13.4°	1.00	1.00
120°	9.32	4.66	16.86	91.7°	7.9°	1.00	1.00
135°	8.96	6.33	14.72	109.7°	4.5°	1.00	1.00
150°	8.75	7.58	12.85	130.2°	3.3°	1.00	1.00
165°	8.61	8.32	11.57	153.9°	2.2°	1.00	1.00
180°	8.55	8.55	11.13	180.0°	0.7°	1.00	1.00
179.9° (r)	8.55	8.55	11.13	179.9°	0.7°	1.00	1.00



World Leader in Rating Technology

© Offshore Racing Congress 2008

Polar Tables

Boat Name: **SALONA 44**

Sail No: **CRO 2009**

Sail: **Symmetric Spinnaker**

Issued On: **13.11.2009 - VPP 1.11**

TWS = 6 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.92	2.46	9.49	33.3°	3.2°	1.00	1.00
70°	5.74	1.96	9.63	35.9°	3.8°	1.00	1.00
75°	6.06	1.57	9.58	37.3°	4.1°	1.00	1.00
80°	6.33	1.10	9.46	38.7°	4.3°	1.00	1.00
90°	6.68	0.00	8.99	42.0°	4.5°	1.00	1.00
110°	6.58	2.25	7.24	51.4°	3.4°	1.00	1.00
120°	6.20	3.10	6.11	58.6°	2.6°	1.00	1.00
135°	5.35	3.79	4.40	75.7°	1.5°	1.00	1.00
150°	4.34	3.76	3.14	106.2°	0.6°	1.00	1.00
165°	3.63	3.50	2.70	144.6°	0.2°	1.00	1.00
180°	3.36	3.36	2.67	180.0°	0.0°	1.00	1.00
141.5° (r)	4.92	3.85	3.76	86.9°	1.1°	1.00	1.00

TWS = 8 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.22	3.11	12.36	34.1°	5.7°	1.00	1.00
70°	7.13	2.44	12.37	37.0°	9.2°	1.00	1.00
75°	7.44	1.93	12.19	38.6°	10.8°	1.00	1.00
80°	7.67	1.33	11.91	40.5°	11.8°	1.00	1.00
90°	7.89	0.00	11.14	44.9°	11.3°	1.00	1.00
110°	7.74	2.65	9.03	56.4°	5.2°	1.00	1.00
120°	7.42	3.71	7.73	63.9°	3.7°	1.00	1.00
135°	6.63	4.69	5.76	80.5°	2.1°	1.00	1.00
150°	5.59	4.84	4.25	108.8°	0.9°	1.00	1.00
165°	4.77	4.61	3.65	145.2°	0.4°	1.00	1.00
180°	4.43	4.43	3.61	180.0°	0.1°	1.00	1.00
145.8° (r)	5.88	4.87	4.58	99.6°	1.2°	1.00	1.00

TWS = 10 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	7.27	3.64	14.88	34.4°	14.0°	1.00	1.00
70°	8.07	2.76	14.43	37.3°	20.6°	1.00	1.00
75°	8.30	2.15	14.02	39.1°	22.8°	1.00	1.00
80°	8.45	1.47	13.57	41.4°	23.4°	1.00	1.00
90°	8.61	0.00	12.68	47.3°	20.7°	1.00	1.00
110°	8.48	2.90	10.57	61.5°	9.7°	1.00	1.00
120°	8.24	4.12	9.24	69.6°	5.1°	1.00	1.00
135°	7.60	5.38	7.12	86.0°	2.7°	1.00	1.00
150°	6.66	5.77	5.42	112.1°	1.3°	1.00	1.00
165°	5.81	5.61	4.69	146.3°	0.5°	1.00	1.00
180°	5.44	5.44	4.61	180.0°	0.1°	1.00	1.00
148.7° (r)	6.75	5.77	5.53	109.4°	1.4°	1.00	1.00

TWS = 12 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	7.93	3.97	16.68	33.7°	25.8°	1.00	1.00
70°	8.45	2.89	15.84	37.9°	28.9°	1.00	0.87
75°	8.60	2.23	15.33	40.5°	29.4°	1.00	0.86
80°	8.72	1.51	14.79	43.2°	29.6°	1.00	0.87
90°	8.94	0.00	13.60	48.9°	29.8°	1.00	0.97
110°	8.96	3.07	11.92	65.9°	15.2°	1.00	1.00
120°	8.77	4.39	10.68	75.1°	8.3°	1.00	1.00
135°	8.32	5.89	8.51	91.4°	3.4°	1.00	1.00
150°	7.53	6.52	6.70	115.8°	1.7°	1.00	1.00
165°	6.75	6.52	5.81	147.5°	0.8°	1.00	1.00
180°	6.35	6.35	5.71	180.0°	0.2°	1.00	1.00
156.7° (r)	7.15	6.57	6.18	129.4°	1.2°	1.00	1.00

TWS = 14 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	8.17	4.08	18.36	34.8°	28.8°	1.00	0.77
70°	8.60	2.94	17.38	40.1°	29.8°	0.96	0.75
75°	8.74	2.26	16.81	43.0°	30.1°	0.96	0.77
80°	8.87	1.54	16.20	46.0°	30.2°	0.96	0.80
90°	9.13	0.00	14.93	52.3°	30.5°	0.96	0.89
110°	9.45	3.23	12.99	68.8°	22.1°	1.00	1.00
120°	9.25	4.63	12.05	79.3°	12.8°	1.00	1.00
135°	8.80	6.23	9.99	96.6°	4.1°	1.00	1.00
150°	8.22	7.12	8.07	119.4°	2.1°	1.00	1.00
165°	7.54	7.28	7.07	149.0°	1.0°	1.00	1.00
180°	7.18	7.18	6.89	180.0°	0.2°	1.00	1.00
163.8° (r)	7.58	7.28	7.11	146.5°	1.1°	1.00	1.00

TWS = 16 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	8.30	4.15	19.98	36.3°	28.9°	0.92	0.75
70°	8.70	2.98	18.88	42.1°	29.8°	0.89	0.76
75°	8.85	2.29	18.27	45.2°	30.1°	0.88	0.79
80°	9.00	1.56	17.62	48.5°	30.2°	0.88	0.83
90°	9.29	0.00	16.27	55.2°	30.6°	0.88	0.94
110°	9.84	3.37	13.53	70.8°	30.3°	1.00	1.00
120°	9.78	4.89	13.26	82.2°	18.2°	1.00	1.00
135°	9.26	6.55	11.51	100.5°	5.2°	1.00	1.00
150°	8.70	7.54	9.58	123.0°	2.5°	1.00	1.00
165°	8.19	7.91	8.44	150.5°	1.2°	1.00	1.00
180°	7.86	7.86	8.22	180.0°	0.3°	1.00	1.00
168.8° (r)	8.07	7.92	8.31	157.9°	1.0°	1.00	1.00

TWS = 20 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	8.44	4.22	23.15	38.9°	29.0°	0.79	0.73
70°	8.83	3.02	21.89	45.4°	29.8°	0.77	0.78
75°	9.01	2.33	21.20	48.8°	30.0°	0.76	0.82
80°	9.19	1.60	20.48	52.4°	30.2°	0.76	0.88
90°	9.57	0.00	19.00	59.8°	30.6°	0.76	1.00
110°	10.30	3.52	16.00	76.7°	31.3°	0.89	1.00
120°	10.76	5.38	14.53	86.3°	31.6°	1.00	1.00
135°	10.33	7.31	14.41	105.5°	11.5°	1.00	1.00
150°	9.59	8.30	12.71	127.9°	3.6°	1.00	1.00
165°	9.07	8.76	11.58	153.3°	1.8°	1.00	1.00
180°	8.83	8.83	11.27	180.0°	0.5°	1.00	1.00
175.4° (r)	8.88	8.85	11.27	171.8°	0.9°	1.00	1.00